National Flood Insurance Program

# Elevation Certificate

and Instructions

**2022 EDITION** 



#### OMB Control No. 1660-0008 Expiration Date: 06/30/2026

#### **ELEVATION CERTIFICATE AND INSTRUCTIONS**

#### PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for this data collection is estimated to average 3.75 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this form. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20742, Paperwork Reduction Project (1660-0008). **NOTE: Do not send your completed form to this address.** 

#### **PRIVACY ACT STATEMENT**

Authority: Title 44 CFR § 61.7 and 61.8.

**Principal Purpose(s):** This information is being collected for the primary purpose of documenting compliance with National Flood Insurance Program (NFIP) floodplain management ordinances for new or substantially improved structures in designated Special Flood Hazard Areas. This form may also be used as an optional tool for a Letter of Map Amendment (LOMA), Conditional LOMA (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional LOMR-F (CLOMR-F), or for flood insurance rating purposes in any flood zone.

**Routine Use(s):** The information on this form may be disclosed as generally permitted under 5 U.S.C. § 552a(b) of the Privacy Act of 1974, as amended. This includes using this information as necessary and authorized by the routine uses published in DHS/ FEMA-003 – *National Flood Insurance Program Files System of Records Notice* 79 Fed. Reg. 28747 (May 19, 2014) and upon written request, written consent, by agreement, or as required by law.

**Disclosure:** The disclosure of information on this form is voluntary; however, failure to provide the information requested may impact the flood insurance premium through the NFIP. Information will only be released as permitted by law.

#### **PURPOSE OF THE ELEVATION CERTIFICATE**

The Elevation Certificate is an important administrative tool of the NFIP. It can be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

The Elevation Certificate is used to document floodplain management compliance for Post-Flood Insurance Rate Map (FIRM) buildings, which are buildings constructed after publication of the FIRM, located in flood Zones A1–A30, AE, AH, AO, A (with Base Flood Elevation (BFE)), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, and A99. It may also be used to provide elevation information for Pre-FIRM buildings or buildings in any flood zone.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt floodplain management regulations that specify minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. Lowest Adjacent Grade (LAG) elevations certified by a land surveyor, engineer, or architect, as authorized by state law, will be required if the certificate is used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. A LOMA, CLOMA, LOMR-F, or CLOMR-F request must be submitted with either a completed FEMA MT-EZ or MT-1 application package, whichever is appropriate. If the certificate will only be completed to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request, there is an option to document the certified LAG elevation on the Elevation Form included in the MT-EZ and MT-1 application.

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the BFE. A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

The expiration date on the form herein does not apply to certified and completed Elevation Certificates, as a completed Elevation Certificate does not expire, unless there is a physical change to the building that invalidates information in Section A Items A8 or A9, Section C, Section E, or Section H. In addition, this form is intended for the specific building referenced in Section A and is not invalidated by the transfer of building ownership.

Additional guidance can be found in FEMA Publication 467-1, Floodplain Management Bulletin: Elevation Certificate.

### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

# **ELEVATION CERTIFICATE**IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name: CINDY FLOREZ	Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 317 40TH STREET	Company NAIC Number:
City: HUNTINGTON State: WV	ZIP Code: 25702
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel NunTAX MAP 14, PARCEL 159	nber:
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): RESIDENTIAL	
A5. Latitude/Longitude: Lat. 38.430172 Long82.372177 Horizontal Datum: N	AD 1927 ☐ NAD 1983 ⊠ WGS 84
A6. Attach at least two and when possible four clear photographs (one for each side) of the building	(see Form pages 7 and 8).
A7. Building Diagram Number:8	
A8. For a building with a crawlspace or enclosure(s):	
a) Square footage of crawlspace or enclosure(s): 942.00 sq. ft.	
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	☐ Yes ☒ No ☐ N/A
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot Non-engineered flood openings:0 Engineered flood openings:0	
d) Total net open area of non-engineered flood openings in A8.c: sq. in.	
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instruction	ons): sq. ft.
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): sq. ft.	
A9. For a building with an attached garage:	
a) Square footage of attached garage: sq. ft.	
b) Is there at least one permanent flood opening on two different sides of the attached garage?	Yes No No N/A
<ul> <li>c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjates</li> <li>Non-engineered flood openings: Engineered flood openings:</li> </ul>	
d) Total net open area of non-engineered flood openings in A9.c: sq. in.	
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instruction	ons): sq. ft.
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): sq. ft.	
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFOR	RMATION
B1.a. NFIP Community Name: CITY OF HUNTINGTON  B1.b. NFIP Community Idea	ntification Number: 540018
B2. County Name: CABELL B3. State: WV B4. Map/Panel No.: 5	54011C0136E B5. Suffix: E
B6. FIRM Index Date: 02/19/2014 B7. FIRM Panel Effective/Revised Date: 02/19/20	14
B8. Flood Zone(s): AE B9. Base Flood Elevation(s) (BFE) (Zone AO, use B	Base Flood Depth): 554.0
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9:  ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other:	
B11. Indicate elevation datum used for BFE in Item B9:   NGVD 1929   NAVD 1988  Other	/Source:
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Prote Designation Date:	ected Area (OPA)?
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No

Building Street Address (including Apt., Unit, Su	ite, and/or Bldg. No.) o	or P.O. Route and Box	No.: F	OR INSURANCE COMPANY USE			
317 40TH STREET			P	olicy Number:			
City: HUNTINGTON	State: WV	ZIP Code: <u>25702</u>	c	Company NAIC Number:			
SECTION C - BUI	LDING ELEVATIO	N INFORMATION (	SURVEY RE	QUIRED)			
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction*  Finished Construction  *A new Elevation Certificate will be required when construction of the building is complete.							
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, A99. Complete Items C2.a–h below according to the Building Diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: VRS 3903 Vertical Datum: NAVD 1988							
Indicate elevation datum used for the elevatio ☐ NGVD 1929 ☐ NAVD 1988 ☐ O	, -	h) below.					
Datum used for building elevations must be the If Yes, describe the source of the conversion to			on factor used	? ☐ Yes ☐ No  Check the measurement used:			
a) Top of bottom floor (including baseme	a) Top of bottom floor (including basement, crawlspace, or enclosure floor): 544.						
b) Top of the next higher floor (see Instru	ıctions):		549.	65 🛛 feet 🗌 meters			
c) Bottom of the lowest horizontal structu	ıral member (see Insti	ructions):		feet meters			
d) Attached garage (top of slab):				feet meters			
<ul> <li>e) Lowest elevation of Machinery and Ec (describe type of M&amp;E and location in</li> </ul>			549.	65 🛛 feet 🗌 meters			
f) Lowest Adjacent Grade (LAG) next to	building: 🔀 Natura	I Finished	544.	52 X feet  meters			
g) Highest Adjacent Grade (HAG) next to	o building: 🔀 Natura	I Finished	545.	31 🛛 feet 🗌 meters			
<ul><li>h) Finished LAG at lowest elevation of at support:</li></ul>	tached deck or stairs,	including structural	544.	82 🛭 feet 🗌 meters			
SECTION D - SU	JRVEYOR, ENGINI	EER, OR ARCHITE	CT CERTIFI	CATION			
This certification is to be signed and sealed by information. I certify that the information on the false statement may be punishable by fine or	is Certificate represer	nts my best efforts to in	nterpret the da				
Were latitude and longitude in Section A provided by a licensed land surveyor? ⊠ Yes □ No							
Check here if attachments and describe in	the Comments area.						
Certifier's Name: Jeffrey M. Eastham	Licen	se Number: 2067		AN M Excession			
Title: Vice President				OFFE W. EASY			
Company Name: Eastham & Associates				No 2007			
Address: 3992 State Route 7				8 ★ No. 2067 ★ 8			
City: Chesapeake State: OH ZIP Code: 45619							
Signature:	225 Email: jeastha	am@eastham-assoc		Place Seal Here			
_	<del></del>						
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.  Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments):							
Lowest equipment servicing the structure			o, and c	p			

Building Street Address (including Apt., Unit, Su	uite, and/or Bldg. No.) o	or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE	
317 40TH STREET	- 1007		Policy Number:	
City: HUNTINGTON	State: WV	ZIP Code: <u>25702</u>	Company NAIC Number:	
SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE)				
For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters.				
Building measurements are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.				
E1. Provide measurements (C.2.a in applicat measurement is above or below the natu			appropriate boxes to show whether the	
a) Top of bottom floor (including baseme crawlspace, or enclosure) is:	ent, 	feet meters	above or below the HAG.	
b) Top of bottom floor (including baseme crawlspace, or enclosure) is:	ent, 	feet meters	above or below the LAG.	
E2. For Building Diagrams 6–9 with permane next higher floor (C2.b in applicable Building Diagram) of the building is:	ent flood openings prov	vided in Section A Items 8 and/o	r 9 (see pages 1–2 of Instructions), the  above or below the HAG.	
E3. Attached garage (top of slab) is:		leet   meters	above or below the HAG.	
E4. Top of platform of machinery and/or equi servicing the building is:	pment		☐ above or ☐ below the HAG.	
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?   Yes  No  Unknown The local official must certify this information in Section G.				
SECTION F - PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION				
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge				
Check here if attachments and describe in the Comments area.				
Property Owner or Owner's Authorized Representative Name:  Address:				
City:		State:	ZIP Code:	
Signature:		Date:		
Comments:				

Building Street Address (including Apt., Unit, Suite, a	and/or Bld	lg. No.) c	or P.O. Route and B	ox No.:	FOR INS	URANCE COMPANY U	SE
317 40TH STREET					Policy Nur	mber:	
City: HUNTINGTON	State:_	WV	_ ZIP Code: <u>2570</u>	)2	Company NAIC Number:		
SECTION G - COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION)							
The local official who is authorized by law or ordin Section A, B, C, E, G, or H of this Elevation Certification						rdinance can complete	
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)							
	G2.a. A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO.					1	
G2.b.   A local official completed Section H for insurance purposes.							
G3.							
G4.							
G5. Permit Number: G6. Date Permit Issued:							
G7. Date Certificate of Compliance/Occupancy	/ Issued:						
G8. This permit has been issued for: New	Construc	ction [	Substantial Impro	vement			
G9.a. Elevation of as-built lowest floor (including building:	basemer	nt) of the		_	meters	Datum:	
G9.b. Elevation of bottom of as-built lowest horiz member:	ontal stru	ıctural		_	meters	Datum:	
G10.a. BFE (or depth in Zone AO) of flooding at the	he buildin	g site:		feet	meters	Datum:	
G10.b. Community's minimum elevation (or depth requirement for the lowest floor or lowest hember:			al	☐ feet	☐ meters	Datum:	
G11. Variance issued?  Yes No If y	es, attach	n docum	entation and descr	 ibe in the Co	omments area	<u></u>	_
The local official who provides information in Sect correct to the best of my knowledge. If applicable,	ion G mus	st sign h so provi	ere. I have comple ded specific correc	ted the infor tions in the	rmation in Sec Comments are	tion G and certify that it a	is
Local Official's Name:			Title:				
NFIP Community Name:							
Address:							
City:							
Signature:			Date:				
Comments (including type of equipment and locat Sections A, B, D, E, or H):	ion, per C	2.e; des	scription of any atta	ichments; ar	nd corrections	to specific information in	<u> </u>

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:  317 40TH STREET  City: HUNTINGTON  State: WV ZIP Code: 25702  SECTION H - BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)  The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.  H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):  a) For Building Diagrams 1A, 1B, 3, and 5–9. Top of bottom floor (include above-grade floors only for buildings with subgrade crawlspaces or enclosure floors) is:  b) For Building Diagrams 2A, 2B, 4, and 6–9. Top of next higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:  H2. Is all Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?  Yes No  SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.  Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.	Building Street Address (Including Apt., Orlit, Suite, and/or Blug. No.) of P.O. Rotte and Box No.:    317 40TH STREET					
City: HUNTINGTON  State: WV ZIP Code: 25702  SECTION H - BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)  The property owner, owner's authorized representative, or local floodplain management official completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.  H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):  a) For Building Diagrams 1A, 1B, 3, and 5-9. Top of bottom floor (include above-grade floors only for buildings with subgrade crawlspaces or enclosure floors) is:  b) For Building Diagrams 2A, 2B, 4, and 6-9. Top of next floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:  H2. Is all Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?  SECTION I - PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.  Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.	City: HUNTINGTON  State: WV ZIP Code: 25702  SECTION H – BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)  The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H					
SECTION H – BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)  The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.  H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):  a) For Building Diagrams 1A, 1B, 3, and 5–9. Top of bottom feet meters above the LAG floor (include above-grade floors only for buildings with subgrade crawlspaces or enclosure floors) is:  b) For Building Diagrams 2A, 2B, 4, and 6–9. Top of next feet meters above the LAG higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:  H2. Is all Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram? Yes No  SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.	SECTION H – BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)  The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H					
(SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)  The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.  H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):  a) For Building Diagrams 1A, 1B, 3, and 5–9. Top of bottom floor (include above-grade floors only for buildings with subgrade crawlspaces or enclosure floors) is:  b) For Building Diagrams 2A, 2B, 4, and 6–9. Top of next higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:  H2. Is all Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?  Yes No  SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.  Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.	(SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)  The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H					
to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.  H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):  a) For Building Diagrams 1A, 1B, 3, and 5–9. Top of bottom feet meters above the LAG floor (include above-grade floors only for buildings with subgrade crawlspaces or enclosure floors) is:  b) For Building Diagrams 2A, 2B, 4, and 6–9. Top of next feet meters above the LAG higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:  H2. Is all Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?  Yes No  SECTION I - PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.  Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.	to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). <i>Reference the Foundation Type Diagrams (at the end of Section H</i>					
a) For Building Diagrams 1A, 1B, 3, and 5–9. Top of bottom feet meters above the LAG floor (include above-grade floors only for buildings with subgrade crawlspaces or enclosure floors) is:  b) For Building Diagrams 2A, 2B, 4, and 6–9. Top of next feet meters above the LAG higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:  H2. Is all Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram? Yes No  SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.  Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.						
floor (include above-grade floors only for buildings with subgrade crawlspaces or enclosure floors) is:  b) For Building Diagrams 2A, 2B, 4, and 6–9. Top of next	H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):					
higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:  H2. Is all Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?  Yes No  SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.  Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.	floor (include above-grade floors only for buildings with					
H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?  Yes No  SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.  Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.	higher floor (i.e., the floor above basement, crawlspace, or					
The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.  Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.	H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?					
A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.  Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.	SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION					
	A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should					
Dranarty Owner or Owner's Authorized Bancocantetive Name	Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.					
Property Owner of Owner's Authorized Representative Name.	Property Owner or Owner's Authorized Representative Name:					
Address:	Address:					
City:          State:          ZIP Code:	City:         State:         ZIP Code:					
	Signature:					
Signature: Date:						
Signature: Date:						
Telephone: Ext.: Email:	Continents.					
Telephone: Ext.: Email:						
Telephone: Ext.: Email:						
Telephone: Ext.: Email:						
Telephone: Ext.: Email:						
Telephone: Ext.: Email:						
Telephone: Ext.: Email:						
Telephone: Ext.: Email:						
Telephone: Ext.: Email:						
Telephone: Ext.: Email:						

# IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19 BUILDING PHOTOGRAPHS

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
317 40TH STREET  City: HUNTINGTON State: WV ZIP Code: 25702	Policy Number:

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: FRONT VIEW 7/13/2025 Clear Photo One



Photo Two

Photo Two Caption: REAR VIEW 7/13/2025 Clear Photo Two

