National Flood Insurance Program

Elevation Certificate

and Instructions

2023 EDITION



OMB Control No. 1660-0008 Expiration Date: 06/30/2026

ELEVATION CERTIFICATE AND INSTRUCTIONS

PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for this data collection is estimated to average 3.75 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this form. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20742, Paperwork Reduction Project (1660-0008). NOTE: Do not send your completed form to this address.

PRIVACY ACT STATEMENT

Authority: Title 44 CFR § 61.7 and 61.8.

Principal Purpose(s): This information is being collected for the primary purpose of documenting compliance with National Flood Insurance Program (NFIP) floodplain management ordinances for new or substantially improved structures in designated Special Flood Hazard Areas. This form may also be used as an optional tool for a Letter of Map Amendment (LOMA), Conditional LOMA (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional LOMR-F (CLOMR-F), or for flood insurance rating purposes in any flood zone.

Routine Use(s): The information on this form may be disclosed as generally permitted under 5 U.S.C. § 552a(b) of the Privacy Act of 1974, as amended. This includes using this information as necessary and authorized by the routine uses published in DHS/ FEMA-003 – *National Flood Insurance Program Files System of Records Notice* 79 Fed. Reg. 28747 (May 19, 2014) and upon written request, written consent, by agreement, or as required by law.

Disclosure: The disclosure of information on this form is voluntary; however, failure to provide the information requested may impact the flood insurance premium through the NFIP. Information will only be released as permitted by law.

PURPOSE OF THE ELEVATION CERTIFICATE

The Elevation Certificate is an important administrative tool of the NFIP. It can be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

The Elevation Certificate is used to document floodplain management compliance for Post-Flood Insurance Rate Map (FIRM) buildings, which are buildings constructed after publication of the FIRM, located in flood Zones A1–A30, AE, AH, AO, A (with Base Flood Elevation (BFE)), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, and A99. It may also be used to provide elevation information for Pre-FIRM buildings or buildings in any flood zone.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt floodplain management regulations that specify minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. Lowest Adjacent Grade (LAG) elevations certified by a land surveyor, engineer, or architect, as authorized by state law, will be required if the certificate is used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. A LOMA, CLOMA, LOMR-F, or CLOMR-F request must be submitted with either a completed FEMA MT-EZ or MT-1 application package, whichever is appropriate. If the certificate will only be completed to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request, there is an option to document the certified LAG elevation on the Elevation Form included in the MT-EZ and MT-1 application.

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the BFE. A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

The expiration date on the form herein does not apply to certified and completed Elevation Certificates, as a completed Elevation Certificate does not expire, unless there is a physical change to the building that invalidates information in Section A Items A8 or A9, Section C, Section E, or Section H. In addition, this form is intended for the specific building referenced in Section A and is not invalidated by the transfer of building ownership.

Additional guidance can be found in FEMA Publication 467-1, Floodplain Management Bulletin: Elevation Certificate.

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE			
A1. Building Owner's Name: Stanley Chipps	Policy Number:			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: Company NAIC Number:				
City: West Union State: WV	ZIP Code: 26456			
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Nul Soutwest District, Tax Map 4, Parcel 25.1, Deed Book 446 Page 600 - South Fork 7 AC	mber:			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): Residential				
A5. Latitude/Longitude: Lat. 39.204684 Long80.865476 Horiz. Datum:	NAD 1927			
A6. Attach at least two and when possible four clear color photographs (one for each side) of the b				
A7. Building Diagram Number:9				
A8. For a building with a crawlspace or enclosure(s):				
a) Square footage of crawlspace or enclosure(s): 1800 sq. ft.				
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	? ⊠ Yes □ No □ N/A			
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 fool Non-engineered flood openings:16 Engineered flood openings: N/A				
d) Total net open area of non-engineered flood openings in A8.c:57 sq. in.				
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructi	ons): N/A sq. ft.			
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): N/A sq. ft.				
A9. For a building with an attached garage:				
a) Square footage of attached garage: N/A sq. ft.				
b) Is there at least one permanent flood opening on two different sides of the attached garage	? ☐ Yes ☐ No ☒ N/A			
 c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adj Non-engineered flood openings:N/A Engineered flood openings:N/A 				
d) Total net open area of non-engineered flood openings in A9.c: N/A sq. in.				
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructi	ons):N/A sq. ft.			
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions):N/A sq. ft.				
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFO	RMATION			
B1.a. NFIP Community Name: Doddridge County B1.b. NFIP Com	nmunity Identification Number: 540024			
B2. County Name: Doddridge B3. State: WV B4. Map/Panel No.:	0225 B5. Suffix: C			
B6. FIRM Index Date: 10/04/2011 B7. FIRM Panel Effective/Revised Date: 10/04/20	011			
B8. Flood Zone(s): A B9. Base Flood Elevation(s) (BFE) (Zone AO, use	Base Flood Depth): 809.8			
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: ☐ FIS ☐ FIRM ☐ Community Determined ☒ Other: See comments in Section D				
B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other	r/Source:			
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Prof Designation Date:	tected Area (OPA)? Yes No			
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No			

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suit	e, and/or Bldg. No.) o	r P.O. Route and Box	No.: FO	OR INSU	JRAN	CE CC	OMPANY USE
93 Sugar Run Road Policy Number:							
City: West Union	State: WV	ZIP Code: <u>26456</u>	Co	Company NAIC Number:			
SECTION C - BUIL	DING ELEVATION	N INFORMATION (SURVEY REC	QUIRE	D)		
C1. Building elevations are based on: Co *A new Elevation Certificate will be require				⊠ Fi	nished	Cons	truction
C2. Elevations – Zones A1–A30, AE, AH, AO, A99. Complete Items C2.a–h below accombenchmark Utilized: OPUS	ding to the Building D		em A7. In Puer				
Indicate elevation datum used for the elevation ☐ NGVD 1929 ☑ NAVD 1988 ☐ Oth		h) below.					
Datum used for building elevations must be the If Yes, describe the source of the conversion fa			on factor used?		Yes	⊠ N e mea	No asurement used:
a) Top of bottom floor (including basemen	t, crawlspace, or end	closure floor):	809	-	feet		meters
b) Top of the next higher floor (see Instruc	ctions):		814.	9 🛛	feet		meters
c) Bottom of the lowest horizontal structur	al member (see Instr	ructions):	N/	<u>A</u> 🖂	feet	r	meters
d) Attached garage (top of slab):			N/	<u>A</u> 🖂	feet		meters
 e) Lowest elevation of Machinery and Equ (describe type of M&E and location in S 			813	0 🖂	feet		meters
f) Lowest Adjacent Grade (LAG) next to b	ouilding: 🔲 Natural	Finished	809	9 🛛	feet		meters
g) Highest Adjacent Grade (HAG) next to	building: 🔲 Natural	Finished	810	8 🛛	feet		meters
 h) Finished LAG at lowest elevation of atta support: 	ached deck or stairs,	including structural	809	3 🖂	feet		meters
SECTION D - SU	RVEYOR, ENGINE	ER, OR ARCHITE	CT CERTIFIC	ATION	1		
This certification is to be signed and sealed by information. I certify that the information on this false statement may be punishable by fine or in Were latitude and longitude in Section A provide	Certificate represent Exprisonment under 1	ts my best efforts to in 8 U.S. Code, Section	nterpret the dat 1001.				
☐ Check here if attachments and describe in the	ne Comments area.						
Certifier's Name: Garrett A. Devericks	Licen	se Number: 2468	en e		SIL	ann	
Title: Owner/ Professional Surveyor					RET	A.D	EVER
Company Name: Devericks Land Surveying	, LLC.			10	Sin J	CENZ	Contract of
Address: P.O. Box 93				* P		10. 246	18 *
City: Salem	State:\	W ZIP Code: 26	6426	M &	1	TIME	INIT. OF
Telephone: (304) 695-3416	Email: deverio	ksps2468@gmail.c	om	VQ	DESO!C	NAL	SURVE
Signature: Carth Dam L		Date: <i>j\/2</i>	2/2024		Plac	e Sea	l Here
Copy all pages of this Elevation Certificate and a	Il attachments for (1)	community official, (2)	insurance agen	t/compa	ny, and	d (8) b	uilding owner.
Comments (including source of conversion fact	or in C2; type of equ	ipment and location p	er C2.e; and de	escriptio	n of ar	ny atta	achments):

Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments) AC & Generator on elevated pads outside, all HVAC, plumbing, etc hung along bottom of floor joists in crawlspace BFE listed in Section B9 is Approximate Flood Height per WV Flood Tool at Lat/Long provided in Section A5 National Flood Hazard Layer FIRMette attached

National Flood Hazard Layer Findiviette attache

See additional comments in Section I

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Blo	dg. No.) d	or P.O. Route and	Box No	o.:	FOR INSURA	NCE COMPANY USE
93 Sugar Run Road			Policy Number:			
City: West Union State:	WV	_ ZIP Code: <u>26</u>	456		Company NAIC Number:	
SECTION E – BUILDING MEASUI FOR ZONE AO, ZONI						ED)
For Zones AO, AR/AO, and A (without BFE), complete Iter intended to support a Letter of Map Change request, compenter meters.						
Building measurements are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.						
E1. Provide measurements (C.2.a in applicable Building E measurement is above or below the natural HAG and			and che	eck the ap	opropriate boxes	to show whether the
a) Top of bottom floor (including basement, crawlspace, or enclosure) is:	1		et 🗌	meters	above or	below the HAG.
b) Top of bottom floor (including basement, crawlspace, or enclosure) is:	1		et 🗌	meters	above or	below the LAG.
E2. For Building Diagrams 6–9 with permanent flood oper next higher floor (C2.b in applicable Building Diagram) of the building is:	nings pro	vided in Section		8 and/or	9 (see pages 1-	-2 of Instructions), the below the HAG.
E3. Attached garage (top of slab) is:			. –	meters	above or	below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is:		□	_	meters	☐ above or	below the HAG.
E5. Zone AO only: If no flood depth number is available, is floodplain management ordinance? Yes N						ne community's ormation in Section G.
SECTION F - PROPERTY OWNER (OR O	WNER'S	S AUTHORIZE	D REP	RESEN	TATIVE) CERT	TIFICATION
The property owner or owner's authorized representative visign here. The statements in Sections A, B, and E are con-				d E for Zo	one A (without B	FE) or Zone AO must
Check here if attachments and describe in the Comme			mougo			
Property Owner or Owner's Authorized Representative Na	me:					
Address:						
City:			Sta	ite:	ZIP Code:	<u> </u>
Telephone: Ext.: Emai	l:					
Signature:		Date:				
Comments:						

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

	0.0.1.10.11	FOR INSI	RANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 93 Sugar Run Road Policy Number:					
City: West Union State: WV ZI	P Code: <u>26456</u>	Company NAIC Number:			
SECTION G - COMMUNITY INFORMATION (RECOMME	ENDED FOR COMMUNIT	Y OFFICIAL	L COMPLETION)		
The local official who is authorized by law or ordinance to administer the Section A, B, C, E, G, or H of this Elevation Certificate. Complete the ap			dinance can complete		
G1. The information in Section C was taken from other documer engineer, or architect who is authorized by state law to certification data in the Comments area below.)					
G2.a. A local official completed Section E for a building located in E5 is completed for a building located in Zone AO.	Zone A (without a BFE), Zo	ne AO, or Zor	ne AR/AO, or when item		
G2.b. A local official completed Section H for insurance purposes.					
G3.	oes specific corrections to th	e information	in Sections A, B, E and H.		
G4.	mmunity floodplain manage	ment purpose	es.		
G5. Permit Number: G6. Date Permi	it Issued:				
G7. Date Certificate of Compliance/Occupancy Issued:					
G8. This permit has been issued for: New Construction Su	bstantial Improvement				
G9.a. Elevation of as-built lowest floor (including basement) of the building:	feet	meters	Datum:		
G9.b. Elevation of bottom of as-built lowest horizontal structural member:		meters	Datum:		
G10.a. BFE (or depth in Zone AO) of flooding at the building site:	[feet	meters	Datum:		
G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member:	□ feet	☐ meters	Datum:		
G11. Variance issued? ☐ Yes ☐ No If yes, attach documenta	ation and describe in the Cor	mments area.	SECULIAR MONEY CONTRACTOR OF THE SECULIAR SECULI		
The local official who provides information in Section G must sign here. correct to the best of my knowledge. If applicable, I have also provided	I have completed the inform	nation in Secti	ion G and certify that it is		
Local Official's Name:	Title:				
NFIP Community Name:					
Telephone: Ext.: Email:					
Address:					
City:		ZIP Co	ode:		
Signature:	Date:				
Comments (including type of equipment and location, per C2.e; descrip Sections A, B, D, E, or H):	tion of any attachments; and	d corrections t	to specific information in		

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

IIIII ONIZANI IIIGOTI GEEGNI IIIE INGINGGOTIGAG GA INGINGGOTIGA	TAGES I II				
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 93 Sugar Run Road	FOR INSURANCE COMPANY USE				
City: West Union State: WV ZIP Code: 26456	Policy Number: Company NAIC Number:				
SECTION H – BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)					
The property owner, owner's authorized representative, or local floodplain management official may to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to determine the section of the se	e completed. Enter heights to the Diagrams (at the end of Section H				
H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the	Lowest Adjacent Grade (LAG):				
a) For Building Diagrams 1A, 1B, 3, and 5–8. Top of bottom N/A _ feet floor (include above-grade floors only for buildings with crawlspaces or enclosure floors) is:	meters above the LAG				
b) For Building Diagrams 2A, 2B, 4, and 6–9. Top of next 5.0 feet higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:	meters 🔀 above the LAG				
H2. Is all Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the approximately Tes No					
SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESEN	TATIVE) CERTIFICATION				
The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. The statements in Sections A, B, and H are correct to the best of my knowledge. Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.					
☐ Check here if attachments are provided (including required photos) and describe each attachme	ent in the Comments area.				
Property Owner or Owner's Authorized Representative Name:					
Address:					
City: State:	ZIP Code:				
Telephone: Ext.: Email:					
Signature: Date:					
Comments: Utilities are elevated above BFE (AFH) plus free board, just not quite to the FFE which is further above BFE (AFH)					
OPUS (National Geodetic Survey Online Positioning User Service) Report for control point elevation used for basis of survey Reported ORTHO HGT: 246.001(m) 0.072(m)NAVD88 (Computed using GEOID18) converted to 807.1 ft (report attached)					
Flood Vents are Home Depot "Master Flow" brand "16 in. x 8 in. Automatic Open/Close Formula Flood Vent in Black" with a specified "Net-Free Area (Sq. In.) of 57	oundation Ventilation Crawl Space				

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

	Number:
City: West Union State: W ZIP Code: 26456	
Comp	any NAIC Number:

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: Proposed North Facing Side-10/26/24

Clear Photo One



Photo Two

Photo Two Caption: Proposed South Facing Side-10/26/24

Clear Photo Two

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 BUILDING PHOTOGRAPHS

Continuation Page

ite, and/or Bl	dg. No.) (or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
State:	WV	ZIP Code: <u>26456</u>	Policy Number: Company NAIC Number:
		3007	te, and/or Bldg. No.) or P.O. Route and Box No.: State: WV ZIP Code: 26456

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: Proposed East Facing Side-10/26/24

Clear Photo Three




Photo Four

Photo Four Caption: West Facing Side-10/26/24

Clear Photo Four

National Flood Hazard Layer FIRMette



OTHER AREAS OF FLOOD HAZARD OTHER AREAS MAP PANELS 80°51'37"W 39°12'3 AREA OF MINIMAL FLOOD HAZARD 1:6,000 ZoneA off. 10/4/2011 54017C0225C DODDRIDGE/COUNTY 540024

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS

Without Base Flood Elevation (BFE) Zone A. V. A99 With BFE or Depth Zone AE, AO, AH, VE, AR Regulatory Floodway

0.2% Annual Chance Flood Hazard, Ave of 1.% annual chance flood with averag

Area with Reduced Flood Risk due to Future Conditions 1% Annual Chance Flood Hazard Zone X

Area with Flood Risk due to Levee Zone L

depth less than one foot or with drainal

areas of less than one square mile zone

No screen Area of Minimal Flood Hazard Zene X

Effective LOWRs

Area of Undetermined Flood Hazard Zon

Channel, Culvert, or Storm Sewer

GENERAL | ----- Channel, Culvert, or Storn STRUCTURES | 1111111 Levee, Dike, or Floodwall

Cross Sections with 1% Annual Chance

Base Flood Elevation Line (BFE)

- Limit of Study

Jurisdiction Boundary

Coastal Transect Baseline Profile Baseline

Digital Data Available

Hydrographic Feature

OTHER

No Digital Data Available Unmapped The pin displayed on the map is an approximate point selected by the user and does not represe an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap

authoritative NFHL web services provided by FEMA. This map reflect changes or amendments subsequent to this date and lime. The NFHL and effective information may change or The flood hazard information is derived directly from the was exported on 5/19/2024 at 12:51 PM and does not

This map image is void if the one or more of the following map legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for

1,500

1,000

500

250

From: To:

Garrett Devericks Garrett A. Devericks

Subject: Date:

Fwd: OPUS solution: 1 TR7329870352567 Sunday, May 19, 2024 12:58:53 PM

Attachments:

1 139m,24o.xml

*** CAUTION: External E-mail !!!

Garrett A. Devericks, PS, EI

Devericks Land Surveying, LLC. P.O. Box 93, Salem, WV 26426 304-695-3416

Begin forwarded message:

From: opus <pus@ngs.noaa.gov>

Date: May 19, 2024 at 12:32:07 PM EDT

To: devericksps2468@gmail.com

Subject: OPUS solution: 1 TR7329870352567

Reply-To: ngs.opus@noaa.gov

FILE: 1 TR7329870352567

2005 NOTE: The IGS precise and IGS rapid orbits were not available

2005 at processing time. The IGS ultra-rapid orbit was/will be used to

2005 process the data.

2005

NGS OPUS SOLUTION REPORT

All computed coordinate accuracies are listed as peak-to-peak values. For additional information: https://www.ngs.noaa.gov/OPUS/about.jsp#accuracy

USER: devericksps2468@gmail.com RINEX FILE: 1 139m.240

DATE: May 19, 2024 TIME: 16:31:24 UTC

START: 2024/05/18

SOFTWARE: page5 2008.25 master255.pl 160321 12:34:00

EPHEMERIS: igu23146.eph [ultra-rapid]

STOP: 2024/05/18 14:34:00

NAV FILE: brdc1390.24n ANT NAME: TRMR8 GNSS

OBS USED: 5298 / 5877 : 90%

95%

NONE

#FIXED AMB: 37/ 39:

ARP HEIGHT: 1.6078

OVERALL RMS: 0.014(m)

REF FRAME: NAD_83(2011)(EPOCH:2010.0000)

ITRF2014

(EPOCH:2024.3786)

X: 785723.173(m) 0.011(m) 785722.206(m) 0.011(m) Y: -4886419.616(m) 0.008(m) -4886418.192(m) 0.008(m) Z: 4010051.951(m) 0.005(m) 4010051.887(m) 0.005(m)

LAT: 39 12 15.46391 0.004(m)39 12 15.49426 0.004(m)E LON: 279 8 5.33069 0.010(m)279 8 5.30034 0.010(m)W LON: 80 51 54.66931 0.010(m)80 51 54.69966 0.010(m)EL HGT: 212.722(m) 0.010(m) 211.473(m) 0.010(m) **ORTHO HGT:** 246.001(m) 0.072(m) [NAVD88 (Computed using GEOID18)1

UTM COORDINATES STATE PLANE COORDINATES UTM (Zone 17) SPC (4701 WV N)

Northing (Y) [meters] 4339456.532 79084.575 Easting (X) [meters] 511640.145 482088.041 Convergence [degrees] 0.08521389 -0.87067778 Point Scale 0.99960167 0.99996766 Combined Factor 0.99956831 0.99993429

US NATIONAL GRID DESIGNATOR: 17SND1164039457(NAD 83)

BASE STATIONS USED

PID DESIGNATION LATITUDE LONGITUDE
DISTANCE(m)
DP1324 WVHA HARRISVILLE CORS ARP N391452.262
W0810237.844 16168.2
DM5974 WVBR BRIDGEPORT CORS ARP N391828.884
W0801638.618 52026.5
DR7399 OHWS OHWS WASHINGTON 2 CORS GRP N392534.540
W0812503.925 53650.1

JX1958 NEAREST NGS PUBLISHED CONTROL POINT
MC DOUGAL N391318.953 W0805324.434 2910.5

This position and the above vector components were computed without any knowledge by the National Geodetic Survey regarding the equipment or field operating procedures used.