U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY Notional Flord Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

				TION A -	PROPERTY I	NFOR	MATIC	N	FOR INSU	RANCE COMPANY USE
A1.	Building Owner's Name Maxie Roberts						Policy Number:			
A2.	5 Trace Fork	ess (including Apt Road	Unit, Suite, and	d/or Bldg. I					100 100 100 100	AIC Number:
_	City Hamlin					te WV		÷	ZIP Code 2	25523
АЗ.	Property Description Part of Lincoln Co	(Lot and Block Nounty, Carroll D	umbers, Tax Parce istrict, Tax Map	el Number, 20, Parc	Legal Descripti cel 45.2 - Deed	on, etc. I Book	.)	og 78		
A4.		esidential, Non-Re	esidential, Additio	n, Accesso	ory, etc.) Resid	ential				
A5.		Lat. 38deg 16m	nin 10sec	Long.	82deg 04min	19sec	C	_ Horizontal	Datum:	NAD 1927 NAD 198
	Building Diagram Nur	mber 5	building if the Cen	tilicate is t	being used to of	rtain fio	od inst	irance.		
A8.			closure(s):			49 F	For a hi	illding with an at	ttached dar	ado.
	a) Square footage of			950) sq.ft			are footage of a		
	 b) Number of perma or enclosure(s) with 	thin 1.0 foot abo	ve adjacent grade	oace 0) Num		nt flood one	nings in the attached gara
	c) Total net area of f			U	sq in	C		net area of floo		
	d) Engineered flood	openings?	Yes 🔀 No			d	d) Engi	neered flood op	enings?	☐ Yes ☑ No
-		SEC	TION B - FLOO	D INSUR	RANCE RATE	MAP ((FIRM	INFORMATI	ON	
B1.	NFIP Community Nam Lincoln County - 5	e & Community N 40088	lumber		B2. County Nan Lincoln	ne				B3. State
B4.	Map/Panel Number	B5. Suffix	B6, FIRM Index		B7. FIRM Panel		ve/	B8. Flood Zone(s) B9. Ba	WV ase Flood Elevation(s) (Zone
	54043C0089	D	10/16/20	13	Revised Da 10/16/2			AΕ), use base flood depth)
B10.	. Indicate the source of		10.1000.0.000.000.000				n Item	AE		636.0
	☐ FIS Profile 🔯 FI	RM Comm	unity Determined		er/Source:	itorea ii	ii iiciii i	30.		
	. Indicate elevation dat			☐ NGVD 1		VD 198		Other/Source	1	
B12.	. Is the building located	d in a Coastal Ba	rrier Resources S	ystem (CB	RS) area or Oth	erwise l	Protect	ed Area (OPA)?	Yes	⊠ No
	Designation Date:	//	CBR	RS [] OPA					23.11
		SECTIO	N C - BUILDIN	IG ELEVA	TION INFORM	OITAN	N (SU	BVEY BEOLIS	PED)	
C1,	Building elevations ar	e based on:	Construction	Drawings	* D Build	ing Had	for Con	RVEY REQUIR		1 Construction
C1.	Building elevations ar *A new Elevation Cert Elevations – Zones Ad C2.a—h below according	e based on: tificate will be red L-A30, AE, AH, A ng to the building	Construction juired when const (with BFE), VE, V1 diagram specifie	Drawings truction of L–V30, V (w	* ☐ Build the building Is o vith BFE), AR, AF A7, In Puerto Ric	ing Und	der Cons	struction*	⊠ Finished	
C1.	Building elevations ar *A new Elevation Cert	e based on: tificate will be red L-A30, AE, AH, A ng to the building	Construction juired when const (with BFE), VE, V1 diagram specifie	Drawings truction of L–V30, V (w	* ☐ Build the building Is o vith BFE), AR, AF A7, In Puerto Ric	ing Und omplet R/A, AR so only,	fer Cons te. Z/AE, AF enter r	struction* R/A1-A30, AR/A	⊠ Finished	
C1. C2.	Building elevations ar *A new Elevation Cert Elevations – Zones Ad C2.a—h below according	e based on: tificate will be red L-A30, AE, AH, A ng to the building GPS Observation um used for the e	Construction quired when const (with BFE), VE, V1, diagram specifie on Taken Octobelevations in items	Drawings* truction of L-V30, V (wed in Item Aber 2013	* ☐ Build the building is o vith BFE), AR, AR A7, in Puerto Ric — Vertical	ing Und complet R/A, AR to only, Datum:	der Cons le. L/AE, AF enter r NAVI	struction* R/A1-A30, AR/A neters. D 1988 NAVD 1988	☐ Other/S	Complete Items
C1. C2.	Building elevations are *A new Elevation Cert Elevations – Zones Ad C2.a-h below according Benchmark Utilized: 4 Indicate elevation daturn used for building	e based on: ifficate will be rec L-A30, AE, AH, A ng to the building GPS Observation um used for the e ng elevations mu	Construction ulred when const (with BFE), VE, V1 diagram specifie on Taken Octobelevations in items to be the same as	Drawings* truction of L-V30, V (w d in Item A ber 2013 as a) throug s that used	* ☐ Build the building is divith BFE), AR, AF A7. In Puerto Ric — Vertical th h) below. ☐ d for the BFE.	ing Und complet R/A, AR to only, Datum: NGVD	der Conste. I/AE, AF enter r NAVI	struction* R/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m	☐ Other/S	Complete Items cource:
C1.	Building elevations are *A new Elevation Cert Elevations – Zones Ad C2.a—h below according Benchmark Utilized: didicate elevation date Datum used for building a) Top of bottom floor	e based on: ifficate will be reconstituted. L-A30, AE, AH, A ng to the building GPS Observation um used for the ending elevations mu (including basen	Construction ulred when const (with BFE), VE, V1 diagram specifie on Taken Octobelevations in items to be the same as	Drawings* truction of L-V30, V (w d in Item A ber 2013 as a) throug s that used	* ☐ Build the building is of with BFE), AR, AF A7. In Puerto Rid Control of the BFE, are floor)	ing Und complet R/A, AR, co only, Datum: NGVD	der Conste. I/AE, AF enter r NAVI	R/A1-A30, AR/Aneters. D 1988 NAVD 1988 Check the m	☐ Other/S easurement	complete Items cource: t used.
C1.	Building elevations are *A new Elevation Cert Elevations – Zones Ad C2.a-h below according Benchmark Utilized: 4 Indicate elevation dature used for building a) Top of bottom floor b) Top of the next high	e based on: difficate will be reconstituted. L-A30, AE, AH, A ng to the building GPS Observation um used for the englighted basen (including basen ther floor	Construction ulred when const (with BFE), VE, V1 diagram specifie on Taken Octobelevations in items to be the same as nent, crawlspace,	Drawings truction of L–V30, V (with in Item Aber 2013 as a) through that used or enclosure.	* ☐ Build the building is of with BFE), AR, AF A7. In Puerto Ric ☐ Vertical the h) below. ☐ d for the BFE.	ing Und complet R/A, AR, co only, Datum: NGVD	der Conste. I/AE, AF enter r NAVI 1929	R/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m	☐ Other/S easurement	complete Items cource: t used. ers
C1, C2.	Building elevations are *A new Elevation Cert Elevations – Zones Ad C2.a—h below according Benchmark Utilized:	e based on: ifficate will be reconstituted. L-A30, AE, AH, A ng to the building GPS Observation um used for the end of the end of the second of the seco	Construction ulred when const (with BFE), VE, V1 diagram specifie on Taken Octobelevations in items to be the same as nent, crawlspace,	Drawings truction of L–V30, V (with in Item Aber 2013 as a) through that used or enclosure.	*	ing Und complet R/A, AR co only, Datum: NGVD 643	der Conste. I/AE, AF enter r NAVI 1929	R/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m Select Get	☐ Other/S easurement ☐ mete	complete Items cource: t used. ers
C1, C2.	Building elevations are *A new Elevation Cert Elevations – Zones Ad C2.a—h below according Benchmark Utilized: dindicate elevation data Datum used for building a) Top of bottom floor b) Top of the next high c) Bottom of the lowed d) Attached garage (to	e based on: ifficate will be reconstructed. L-A30, AE, AH, A ng to the building GPS Observation um used for the ended of the end of the ended of the end of the en	Construction ulired when const (with BFE), VE, V1 diagram specifie on Taken Octobelevations in items to be the same as ment, crawlspace, ctural member (V	Drawings truction of the V30, V (with th	* ☐ Build the building is o with BFE), AR, AF A7. In Puerto Ric — Vertical gh h) below. ☐ d for the BFE. ure floor) [y)	ing Und complet R/A, AR co only, Datum: NGVD 643	der Conste. I/AE, AF, enter r NAVI 1929	A/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m M feet M feet M feet	☐ Other/S easurement ☐ mete ☐ mete ☐ mete ☐ mete	complete Items source: t used. ers ers ers
C1.	Building elevations are *A new Elevation Cert Elevations – Zones A3 C2.a—h below according Benchmark Utilized: Indicate elevation date Datum used for building a) Top of bottom floor b) Top of the next high c) Bottom of the lowed Attached garage (to be) Lowest elevation of (Describe type of e	e based on: ifficate will be rec L-A30, AE, AH, A ng to the building GPS Observation um used for the e ng elevations mu (including basen ther floor st horizontal stru top of slab) If machinery or eq quipment and loce	Construction uired when const (with BFE), VE, V1, diagram specifie on Taken Octobelevations in items to be the same as ment, crawispace, ctural member (Vulipment servicing eation in Commen	Drawings truction of L-V30, V (with in Item Aber 2013 as a) through that used or enclosure Zones only the building the buildings.	* ☐ Build the building is of with BFE), AR, AF A7. In Puerto Rid Control of the BFE. Use floor) ☐ In the BFE. Use floor in t	ing Und complet R/A, AR co only, Datum: NGVD 843 N/A N/A N/A	der Conste. I/AE, AF, enter r NAVI 1929	R/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m Select Get	☐ Other/S easurement ☐ mete ☐ mete ☐ mete	complete Items source: t used. ers ers ers
C1, C2.	Building elevations are *A new Elevation Cert Elevations – Zones A3 C2.a-h below according Benchmark Utilized: (Indicate elevation date Datum used for building a) Top of bottom floor b) Top of the next high b) Bottom of the lowed Attached garage (to b) Lowest elevation of (Describe type of e f) Lowest adjacent (fin	e based on: difficate will be reconstituted will be reconstituted. L-A30, AE, AH, A and to the building GPS Observation will be reconstituted with the reconstituted with the reconstituted of the reconstituted with the reconstitu	Construction ulired when const (with BFE), VE, V1 diagram specifie on Taken Octob elevations in items to be the same as ment, crawlspace, ctural member (Vulipment servicing eation in Comment to building (LAG	Drawings truction of L-V30, V (with the control of	#	ing Undoomplet R/A, AR co only, Datum: NGVD S443	der Conste. I/AE, AF, enter r NAVI 1929 6	A/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m M feet M feet M feet	☐ Other/S easurement ☐ mete ☐ mete ☐ mete ☐ mete	complete Items cource: t used. ers ers ers
C1.	Building elevations are *A new Elevation Cert Elevations – Zones A3 C2.a-h below according Benchmark Utilized:	e based on: ifficate will be rec L-A30, AE, AH, A ng to the building GPS Observation um used for the e ng elevations mu (including basen ther floor st horizontal stru top of slab) If machinery or eq quipment and loc nished) grade ne- inished) grade ne- inished) grade ne-	Construction uired when const (with BFE), VE, V1, diagram specifie on Taken Octobelevations in items to be the same as ment, crawlspace, ctural member (Vulpment servicing eation in Comment to building (LAC) axt to building (HAC)	Drawings truction of L-V30, V (with in Item Aber 2013 as a) through that used or enclosure Zones only githe buildings.	#	ing Undoomplet R/A, AR co only, Datum: NGVD S443	der Conste. I/AE, AF enter r NAVI 1929 6	R/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m Seet Seet Seet	☐ Other/S easurement ☐ mete	complete Items cource: t used. ers ers ers
C1.	Building elevations are *A new Elevation Cert Elevations – Zones A3 C2.a-h below according Benchmark Utilized: (Indicate elevation date Datum used for building a) Top of bottom floor b) Top of the next high b) Bottom of the lowed Attached garage (to b) Lowest elevation of (Describe type of e f) Lowest adjacent (fin	e based on: ifficate will be rec L-A30, AE, AH, A ng to the building GPS Observation um used for the e ng elevations mu (including basen ther floor st horizontal stru top of slab) If machinery or eq quipment and loc nished) grade ne- inished) grade ne- inished) grade ne-	Construction uired when const (with BFE), VE, V1, diagram specifie on Taken Octobelevations in items to be the same as ment, crawlspace, ctural member (Vulpment servicing eation in Comment to building (LAC) axt to building (HAC)	Drawings truction of L-V30, V (with in Item Aber 2013 as a) through that used or enclosure Zones only githe buildings.	#	ing Undoomplet R/A, AR co only, Datum: NGVD S443	der Conste. I/AE, AF enter r NAVI 1929 6	struction* R/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m K feet K feet K feet K feet K feet	Other/S Other/S easurement mete me	complete Items fource: t used. ers ers ers ers
C1.	Building elevations are *A new Elevation Cert Elevations – Zones A3 C2,a—h below according Benchmark Utilized: Indicate elevation date Datum used for building a) Top of bottom floor b) Top of the next high c) Bottom of the lowed Attached garage (to e) Lowest elevation of (Describe type of e f) Lowest adjacent (fing) Highest adjacent (grant of the lowest adjace	e based on: ifficate will be rec- L-A30, AE, AH, A ng to the building GPS Observation um used for the e- ng elevations mu (including basen ther floor st horizontal stru- op of slab) of machinery or eq- quipment and loc- nished) grade ne- inished) grade ne- ade at lowest ele-	Construction uired when const (with BFE), VE, V1 diagram specifie on Taken Octobelevations in items to be the same as ment, crawlspace, ctural member (Vulphment servicing cation in Comment at to building (LAG) axt to building (HA) vation of deck or	Drawings truction of L-V30, V (with in Item Aber 2013 as a) through sith that used or enclosure Zones on Item Aber 2013 as a) through the building the buildings of Sith Stairs, including the stairs of the sta		ing Und complet R/A, AR to only, Datum: NGVD 543 N/A N/A N/A S46 S40 S40	der Conste. I/AE, AF enter r NAVI 1929 6	struction* A/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m Seet Seet Seet Seet Seet Seet Seet Se	Other/S Other/S easurement mete me	complete Items fource: t used. ers ers ers ers
C1, C2.	Building elevations an *A new Elevation Cert Elevations – Zones A1 C2,a—h below according Benchmark Utilized:	e based on: ifficate will be reco- L-A30, AE, AH, A ng to the building GPS Observation um used for the e- ng elevations mu (including basen ther floor st horizontal stru- op of slab) of machinery or eq- quipment and loo- nished) grade ne- inished) grade ne- ade at lowest ele-	Construction uired when const (with BFE), VE, V1 diagram specific on Taken Octob elevations in items to be the same as ment, crawlspace, ctural member (V) uipment servicing eation in Comment to building (LAG) ext to building (HA) vation of deck or	Drawings truction of L-V30, V (with in Item Aber 2013 as a) through that used or enclosured Zones on the buildings that used or enclosured Zones on the buildings the buildings stairs, incompared to the property of the buildings	# ☐ Build the building Is o vith BFE), AR, AR A7, In Puerto Ric — Vertical th h) below. ☐ d for the BFE. ure floor) ling d d d d d d d d d d d d d	ing Und omplet R/A, AR to only, Datum: NGVD 543 N/A N/A S46 1	der Conste. A/AE, AF enter r NAV! 1929 6	AVA1-A30, AR/A neters. D 1988 NAVD 1988 Check the m Get Get Get Get Get Get Get	Sinished Sh, AR/AO. Co Other/S easurement mete mete mete mete mete mete met	complete Items fource: t used. ors ors ors ors ors
C1.	Building elevations are *A new Elevation Cert Elevations – Zones A3 C2.a.—h below according Benchmark Utilized:	e based on: ifficate will be reco- L-A30, AE, AH, A ng to the building GPS Observation um used for the engle elevations mu (including basen ther floor st horizontal strue op of slab) of machinery or equipment and local nished) grade ne- inished) grade ne- ade at lowest ele SECTION The statement may be tatement may be	Construction uired when const (with BFE), VE, V1 diagram specifie on Taken Octobelevations in items to be the same as ment, crawlspace, ctural member (Valiance of the construction of the	Drawings truction of L-V30, V (with in Item Aber 2013 is a) through sith that used or enclosure or enclosure of Zones on the buildings of the	# □ Build the building is o with BFE), AR, AR, AR A7, In Puerto Ric Vertical gh h) below. □ d for the BFE, ure floor) liv) GINEER, OR or architect au brest efforts to i	ing Undomplet R/A, AR R:0 only, Datum: NGVD 643 N/A N/A N/A N/A 646 640 640 640 640 640 640 64	der Conste. I/AE, AF enter r NAVI 1929 6 0 9 9 TECT	R/A1-A30, AR/A neters, D 1988 NAVD 1988 Check the m Signature S	Other/S other/S easurement mete me	complete Items fource: t used. ors ors ors ors ors
C1. C2.	Building elevations are *A new Elevation Cert Elevations – Zones A3 C2,a—h below according Benchmark Utilized:	e based on: ifficate will be rec L-A30, AE, AH, A ng to the building GPS Observation um used for the e ng elevations mu (including basen ther floor st horizontal stru top of slab) If machinery or eq quipment and loc nished) grade ne ade at lowest ele SECTIO med and sealed information on the latement may be are provided on bi	Construction ulired when const (with BFE), VE, V1 diagram specifie on Taken Octobe elevations in items to be the same as ment, crawlspace, ctural member (V) ulipment servicing eation in Comment to building (LAG) axt to building (HA) vation of deck or ON D - SURVE by a land surveyor, its Certificate reprepunishable by fine ack of form.	Drawings truction of L-V30, V (with in Item Aber 2013 is a) through that used or enclosured that used that u	# □ Build the building is o vith BFE), AR, AR, AR A7, In Puerto Ric Vertical gh h) below. □ d for the BFE, ure floor) liv) ling GINEER, OR or architect au brest efforts to i	ing Undomplet R/A, AR Rico only, Datum: NGVD 643 N/A N/A N/A 640 640 640 640 640 640 640 64	der Conste. A/AE, AF enter r NAVI 1929 6 D 9 9 TECT I by law t the da Code, Se ection A	AVA1-A30, AR/A neters. D 1988 NAVD 1988 Check the m Get Get Get Get Get Get Feet Feet Feet	Other/S other/S easurement mete me	complete Items fource: t used. ers ers ers ers
C1. C2. his ce formunder Che Cartific David	Building elevations are *A new Elevations – Zones A3 C2.a—h below according Benchmark Utilized:	e based on: ifficate will be rec L-A30, AE, AH, A ng to the building GPS Observation um used for the e ng elevations mu (including basen ther floor st horizontal stru top of slab) If machinery or eq quipment and loc nished) grade ne ade at lowest ele SECTIO med and sealed information on the latement may be are provided on bi	Construction ulired when const (with BFE), VE, V1 diagram specifie on Taken Octobe elevations in items to be the same as ment, crawlspace, ctural member (V) ulipment servicing eation in Comment to building (LAG) axt to building (HA) vation of deck or ON D - SURVE by a land surveyor, its Certificate reprepunishable by fine ack of form.	Drawings truction of L-V30, V (with in Item Aber 2013 is a) through that used or enclosured that used that u	# □ Build the building Is of with BFE), AR, AR A7, In Puerto Ric Vertical gh h) below. □ d for the BFE. ure floor) ling GINEER, OR or architect aut best efforts to in comment under 1. ude and longitur de to be building to the comment under 1. ude and longitur	ing Undomplet omplet of Architecture of Archit	der Conste. A/AE, AF enter r NAVI 1929 6 0 9 9 TECT by law t the da code, Se ection A	A/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m Seet Seet Seet Seet Seet Seet Seet Se	Other/S other/S easurement mete me	Complete Items Source: t used. ors ors ors ors ors ors ors or
C1, C2. C2. C1, C2.	Building elevations an *A new Elevation Cert Elevations – Zones A1 C2,a—h below according Benchmark Utilized:	e based on: ifficate will be rec L-A30, AE, AH, A ng to the building GPS Observation um used for the e ng elevations mu (including basen ther floor st horizontal stru top of slab) If machinery or eq quipment and loc nished) grade ne ade at lowest ele SECTIO med and sealed information on the latement may be are provided on bi	Construction ulired when const (with BFE), VE, V1 diagram specifie on Taken Octobe elevations in items to be the same as ment, crawlspace, ctural member (V) ulipment servicing eation in Comment to building (LAG) axt to building (HA) vation of deck or ON D - SURVE by a land surveyor, its Certificate reprepunishable by fine ack of form.	Drawings truction of L-V30, V (with in Item Aber 2013 as a) through that used or enclosured are the building the building the building stairs, incompany to the building the building stairs, incompany to the building the building stairs, incompany to the building the building the building stairs, incompany to the building the building stairs, incompany to the building	# □ Build the building is o vith BFE), AR, AR A7, In Puerto Ric Vertical th h) below. □ d for the BFE. ure floor) ling GINEER, OR A or architect aut best efforts to i onment under 1: ude and longitul and surveyor?	ing Undomplet omplet of Archiver of Salar	der Conste. A/AE, AF enter r NAVI 1929 6 D 9 9 TECT I by law t the da Code, Se ection A	A/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m Seet Seet Seet Seet Seet Seet Seet Se	Other/S other/S easurement mete me	Complete Items fource: t used. frs frs frs frs frs frs frs fr
C1. C2. C2. C1. C2. C2. C2. C2. C3. C4. C5. C6. C6. C6. C6. C6. C6. C6. C6. C6. C6	Building elevations are *A new Elevations – Zones A3 C2.a—h below according Benchmark Utilized:	e based on: ifficate will be rec L-A30, AE, AH, A ng to the building GPS Observation um used for the e ng elevations mu (including basen ther floor st horizontal stru top of slab) If machinery or eq quipment and loc nished) grade ne ade at lowest ele SECTIO med and sealed information on the latement may be are provided on bi	Construction ulired when const (with BFE), VE, V1 diagram specifie on Taken Octobe elevations in items to be the same as ment, crawlspace, ctural member (V) ulipment servicing eation in Comment to building (LAG) axt to building (HA) vation of deck or ON D - SURVE by a land surveyor, its Certificate reprepunishable by fine ack of form.	Drawings truction of L-V30, V (with in Item Aber 2013 is a) through that used or enclosured from the building the building stairs, including the building stairs and stairs and stairs are stairs.	# □ Build the building Is of with BFE), AR, AF A7, In Puerto Ric Vertical th h) below. □ d for the BFE. ure floor) ling GINEER, OR A or architect aut best efforts to in comment under 1 ude and longitue and surveyor? Name ny Surveys, In	Ing Undomplet (I/A, AR, I/A) Datum: NGVD 643 N/A N/A N/A 646 1640 1640 1640 1640 1740 1750	der Conste. A/AE, AF enter r NAVI 1929 6 0 9 9 TECT by law t the da code, Se ection A	A/A1-A30, AR/A neters. D 1988 NAVD 1988 Check the m Seet Seet Seet Seet Seet Seet Seet Se	Other/S other/S easurement mete me	Complete Items Source: t used. ors ors ors ors ors ors ors or
C1. C2. C2. C1. C2. C2. C2. C2. C3. C4. C5. C6. C6. C6. C6. C6. C6. C6. C6. C6. C6	Building elevations are *A new Elevations – Zones A3 C2.a—h below according Benchmark Utilized:	e based on: ifficate will be rec L-A30, AE, AH, A ng to the building GPS Observation um used for the e ng elevations mu (including basen ther floor st horizontal stru top of slab) If machinery or eq quipment and loc nished) grade ne ade at lowest ele SECTIO med and sealed information on the latement may be are provided on bi	Construction ulired when const (with BFE), VE, V1 diagram specifie on Taken Octobe elevations in items to be the same as ment, crawlspace, ctural member (V) ulipment servicing eation in Comment to building (LAG) axt to building (HA) vation of deck or ON D - SURVE by a land surveyor, its Certificate reprepunishable by fine ack of form.	Drawings truction of L-V30, V (with in Item Aber 2013 as a) through that used or enclosured are the buildings that used or enclosured are the buildings of the	# □ Build the building Is of with BFE), AR, AF A7, In Puerto Ric Vertical th h) below. □ d for the BFE. ure floor) ling GINEER, OR A or architect aut best efforts to in comment under 1 ude and longitue and surveyor? Name ny Surveys, In	ing Undomplet (A) A, AR (B) Datum: NGVD 643 N/A N/A N/A N/A N/A N/A 646 1 640 1 64	In the date of the	A/A1-A30, AR/A meters. D 1988 Check the m Get Get Get Get Get Get Get CERTIFICATION to certify elevat ta available, ection 1001. provided by a NAVA 1988 Check the m Get Get Get Get Get Get Det Get COMMAND 1988 Check the m Get Get Get Get Get Det Get COMMAND 1988 Check the m Get Get Get Get CERTIFICATION to provided by a No Get	Other/S other/S easurement mete me	Complete Items fource: t used. frs frs frs frs frs frs frs fr

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, o	opy the corresponding information from S	ection A.		F	OR INSURANCE	E COMPANY USE
Building Street Address (including 5 Trace Fork Road	ng Apt., Unit, Suite, and/or Bldg. No.) or PO	. Route and Box No.	8	_	olicy Number:	
City Hamlin	State WV	ZIP Code 25523		C	ompany NAIC Nu	mber:
SEC	TION D - SURVEYOR, ENGINEER, O	R ARCHITECT C	ERTIFICATIO	N (CON	TINUED)	
Copy both sides of this Elevation	Certificate for (1) community official, (2) in	nsurance agent/con	npany, and (3) b	uilding or	wner.	
Comments Section C2e = Wir	ndow Air Conditioner					
Signature \	w.X.	Date 10/29				
SECTION E - BUILDING	ELEVATION INFORMATION (SURVE	Y NOT REQUIRE	D) FOR ZON	E AO A	ND ZONE A	(WITHOUT BFE)
ror items E1-E4, use natural gra), complete Items E1–E5. If the Certificate de, if available. Check the measurement us	sed. In Puerto Rico	only, enter met	ers.		
Riage (HAG) and the lowest a	for the following and check the appropriate djacent grade (LAG). ng basement, crawlspace, or enclosure) is					
				A STATE OF THE PARTY OF THE PAR	200	below the HAG.
	ng basement, crawlspace, or enclosure) is				☐ above or	☐ below the LAG.
	th permanent flood openings provided in S	ection A Items 8 an		Contract of the second		
E3. Attached garage (top of slab)	n C2.b in the diagrams) of the building is		feet [below the HAG.
			☐ feet ☐	meters	above or	below the HAG.
E5. Zone AO only: If no flood dept	and/or equipment servicing the building is in number is available, is the top of the bot	torn floor elevated i	. ☐ feet ☐ n accordance w	meters	above or ammunity's floo	below the HAG.
ordinarice [] les [] No	Unknown, The local official must certif	y this information in	Section G.			
SEC	TION F - PROPERTY OWNER (OR O	WNER'S REPRE	SENTATIVE)	CERTIFI	CATION	
Zone AO must sign here. The state Property Owner or Owner's Author	thorized representative who completes Sec ements in Sections A, B, and E are correct ized Representative's Name	tions A, B, and E for to the best of my k	r Zone A (witho nowledge.	ut a FEM/	A-issued or con	nmunity-issued BFE) o
And the second s	ized representatives rights					
Address		City		State	ZIP Co	ode
Signature		Date		Teleph	one	
Comments						
					Check	here if attachments.
	SECTION G – COMMUNIT	Y INFORMATION	(OPTIONAL)		
61. The information in Section	by law or ordinance to administer the comm plete the applicable item(s) and sign below. on C was taken from other documentation to certify elevation information. (Indicate	that has been side	ment used in Ite	ems G8-G	10. In Puerto F	Rico only, enter meters.
2. CI A community official comp	to certify elevation information. (Indicate pleted Section E for a building located in Zi (Items G4–G10) is provided for communi	one A (without a FE)	MA-issued or co	mmunity.	issued BFE) or	ts area below.) Zone AO,
4. Permit Number	G5. Date Permit Issued		Date Certificat		pliance/Occup	ancy Issued
7. This permit has been issued	for: New Construction Substa	intial Improvement				
	por (including basement) of the building:	man improvement	□ feet □	neters	Datum	
9. BFE or (in Zone AO) depth of	flooding at the building site:			neters	Datum	
10. Community's design flood ele	evation:			neters	Datum	
ocal Official's Name	- Control of the Cont	Title	Liteet Li	neters	Datum	
ommunity Name		Telephone				
gnature		Date				
omments						
		,			Пон	h 16 1
MA Form 086-0-33 (Revised 7/12)					Check	here if attachments.
					Pontson	will assess the control of the con-

ELEVATION CERTIFICATE, page 3

BUILDING PHOTOGRAPHS


See Instructions for Item A6.

IMPORTANT: in these spaces, cop	y the corresponding information from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including a 5 Trace Fork Road	Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No.	Policy Number:
City Hamlin	State ZIP Code WV 25523	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Front View



Back View

BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: In these spaces, copy	the corresponding information from S	Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including A 5 Trace Fork Road	ot., Unit, Suite, and/or Bldg. No.) or PC). Route and Box No.	Policy Number:
City Haml in	State WV	ZIP Code 25523	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Right Side View



Left Side View