

# **Kurt Donaldson**

Manager West Virginia GIS Technical Center West Virginia University

FEMA Coffee Break: Utilizing University Partnerships in Hazard Mitigation Planning November 23, 2022

# **WVU Faculty Supporting Hazard Mitigation Projects**

Partnerships among faculty members expand the subject matter expertise for hazard mitigation planning

HAZARD MITIGATION PROJECT	FUNDING SOURCE	FACULTY MEMBER		ORGANIZATION & EXPERTISE	LINK	
Statewide Risk Assessments	HMGP, CTP	Kurt Donaldson		WVU GIS Technical Center (online interactive map viewing applications, TEIF/TEAL <sup>1</sup> risk assessments, flood visualizations)	<u>WV Flood Tool</u> <u>Statewide RA Products &amp; Data</u> <u>WV Region 3 Plan w TEIF data</u>	
Landslide Susceptibility Modeling	HMGP	Aaron Maxwell		WVU Geography Professor (landslide modeling, machine learning, remote sensing)	Published Landslide Paper	
Flood Buyouts	NRCS	Katherine Garvey		WVU Land Use and Sustainability Law Clinic (legal and planning services)	Region 3 Resilience Report WV Public Broadcasting	
Community Recovery and Resiliency	NSF	Jamie Shinn		WVU Geography Professor (social science, community engagement)	WV Public Broadcasting	

<sup>1</sup> Total Exposure in Floodplain (TEIF), Total Exposure Area Landslide (TEAL)



#### **Example 1: Landslide Hazard Risk Assessment**


### Landslide damages Washington Bottom home, threatens others



#### April 2020 Landslide

Wood County, WV

Impacted home moved from foundation



A statewide *landslide susceptibility* (high, moderate, low risk) map was created from FEMA-purchased QL2 LiDAR data

### **Example 2: Voluntary Floodplain Buyout Mitigation**




#### Success Story: West Virginia Partnerships Drive Cost-Effective Mitigation

In 2018, the West Virginia University (WVU) Land Use and Sustainable Development Law Clinic began assisting the Natural Resources Conservation Service (NRCS) in watershed planning for McDowell County. Frequent flooding occurs in the Elkhorn Creek/Tug Fork River watershed and causes major damage to structures and infrastructure. The NRCS, the Land Use Clinic, and other local sponsors worked together to study the costs and benefits of a voluntary floodplain buyout project. Using data available through the <u>WV Flood Tool</u> saved time and money.

The Land Use Clinic and NRCS used data from the WV Flood Tool to identify the highest priority areas for buyouts and estimate damages to individual properties. Data gathered from the WV Flood Tool included information related to flood zones, structure type, flood depth, and real estate values. WVU also collected Total Exposure in Floodplain (TEIF) and Total Exposure Area Landslide (TEAL) structural-level data. This information helped the NRCS identify a list of 310 properties that would meet the goal of reducing flood damage. 30 properties may be eligible to participate in a voluntary buyout program.

FEMA R3 Resiliency Report | WVPBS | Buyout Report



#### WV Flood Tool: Building-Level Risk Assessments

Risk assessments using FEMA's Hazus methodology helped NRCS identify 310 properties in McDowell County for flood buyouts

### **Example 3: Community Hazard Planning (Focus Group Meetings)**



- Feedback desired from Focus Groups:
  - What lessons were learned from the immediate response and longer-term recovery from the 2016 flood?
  - What priorities are needed for a stronger flood response and recovery plan in the event of a future flood?



- Feedback of Flood Study Products:
  - Flood Characteristics and Models
  - Flood Risk Assessment (vulnerability, exposure, loss)
  - Mitigation Maps
  - Flood Visualization Tools

### **Example 3: Community Hazard Planning (Flood Characteristics)**

FEMA 1%+ Annual Chance (Rainelle, WV)	Category	Flood Characteristic (in context to 2016 Flood)	White Sulphur Springs	Rainelle
Climate Change Sewell Creet	<b>Frequency</b> (new flood maps)	<ul> <li>Probability that a flood of a specific size will be equaled or exceeded in any given year.</li> <li>FEMA Flood Models (new): 10-, 25-, 50-, 100-, 100+, and 500-year flood elevations.</li> <li>First Street Foundation Flood Models: 5-, 20-, 100-, and 500-year flood elevations.</li> </ul>	2016 Flood Between 100- and 500-year <u>FEMA Climate</u> BFE+6ft <u>FSF Climate</u> 2052 or 30 years in the future	2016 Flood Between 100- and 500-year <u>FEMA Climate</u> BFE+1ft <u>FSF Climate</u> 2052 or 30 years in the future
FII C	Depth	Flood depth. Source USGS high-water marks	6 feet	8 feet
Son	Velocity	Speed at which the floodwaters are flowing	High	Moderate
	Duration	Measure of how long water remains above normal levels	24 hours	72 hours
26% probability of flooding at least once over 30 years Residential Residential	Rise and Fall	Floodwater that rises very quickly with little or no warning	Quick Rise	Quick Rise

## **Example 3: Community Hazard Planning (Risk Indicators)**

#### Social Vulnerability Indicators White Sulphur Springs and Rainelle

	Vulnerability Indicators	White Sulphur Springs	Rainelle	State Ratio	National Ratio	Catego
<b>®</b>	Poverty Rate	14.4%	37.0%	17.3%	12.9%	
	Unemployment Rate	21.4%	33.6%	23.8%	14.7%	Buildings by Flood Zone (Count & Value)
<b>i Î</b> î	Vulnerable Ages Ratio	41.7%	39.8%	30.8%	28.3%	(Count
Ġ	Disability Ratio	17.8%	26.9%	18.7%	13.0%	od Zone
₩Å,	Population Growth Ratio	-9.1%	-20.9%	-3.2%	7.4%	s by Flo
¢	Renter-Occupied Ratio	42.8%	43.0%	26.8%	36.0%	Building
<u>\$</u>	Housing Values Less than \$50K Housing Median Value	3.9% \$125,700	37.5% \$59,400	16.9% \$119,600	6.6% \$229,800	

#### Building/Parcel Exposure White Sulphur Springs and Rainelle

Category	Exposure Indicator	White Sulphur Springs	Rainelle	Ratio* in WV Incorporated Areas (2021)
Buildings by Flood Zone (Count & Value)	Total Primary Building Count in Floodplain	<b>423</b> (Rank***: 12 <sup>th</sup> )	<b>338</b> (Rank: 18 <sup>th</sup> )	59 (Median)
	Building Ratio b/w Floodplain & Community Total	26%	34%	9%
	Total Primary Building Value in Floodplain of Community	<b>\$40,881K</b> (Rank: 16 <sup>th</sup> )	\$16,120K	\$6,417K (Median)
	Median Building Value in Floodplain	\$49K	\$38K	\$42K
	Building Count in Floodway** (High Velocity)	<b>65</b> (Rank: 13 <sup>th</sup> )	9	12 (Avg.)
	Percent Building Count in Floodway** (High Velocity & Depth)	15%	3%	8%
	New Maps: Bldgs. "Mapped In" SFHA	72 (Rank: 12 <sup>th</sup> )	<b>329</b> (Rank: 3 <sup>nt</sup> )	19 (Avg.)
	New Maps: Bldgs. % Count "Mapped In" SFHA	17%	97%	14%
	New Maps: Bldgs. "Mapped Out" SFHA	<b>118</b> (Rank: 8 <sup>th</sup> )	0	19 (Avg.)
	New Maps: Bldgs. % Count "Mapped Out" SFHA	28%	0%	14%

The red texts show more than 5% of difference, to the vulnerability side, from the state ratios.

#### Vulnerability, Exposure, and Hazus Loss Indicators

for the disadvantaged communities of Rainelle and White Sulphur Springs





### **Example 3: Community Hazard Planning (Mitigation Measures)**

White Sulphur

Springs

15

394

14

394

16

66

5 Acres

2.6%

+ \$6.1 Million

\$2.6 million

Rainelle

45

278

49 278

18


88

3 Acres

4.5%


- \$1.0 Million

\$2.3 million



Field verification and analysis of mitigation measures implemented by property owners and the community in context of the 2016 flood and local floodplain management regulations

#### **Mitigation Reconstruction: Resiliency to Future Floods (Climate Change)**



How well are mitigated structures protected from changing environmental factors due to climate change? The new FEMA flood maps for Rainelle reveal that the mitigated structure above is a risk for the 1%+ (100-yr) and 0.2-percent chance (500-yr) floods.